

BIG BUBBLES™

TYPE:

Suspension

PROJECT NAME:

MODEL #	SHADE COLOR	FIXTURE HEIGHT	HALO	LED	VOLTAGE
					120V




SHADE OPTIONS

ST = STANDARD GBU - 2



SPECIFICATION SHEET



A

MODEL - BIG BUBBLES HL 10

LIGHT SOURCE OPTIONS

H = HALOGEN - 10 x 10W 12V G4
 or
 L = LED - 10 x 1.5W 12V 2700K WW
 100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
 44 = 44"
 56 = 56"

CH = Custom height available. Please contact our office.
 NOTE 1: Suspension Rod is not field cuttable.
 NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.

DIMMING NOTE:

HALOGEN VERSION - Dimmable with a Low-Voltage Electronic dimmer.
 LED VERSION - Dimmable with a leading edge or trailing edge TRIAC dimmer.



A SCANGIFT® BRAND

WWW.HARCOLOORLIGHTING.COM

BIG BUBBLES™

TYPE:


Suspension

PROJECT NAME:

MODEL #	SHADE COLOR	FIXTURE HEIGHT	HALO	LED	VOLTAGE
					120V

SHADE OPTIONS

ST = STANDARD GBU - 2




MODEL - BIG BUBBLES HL 14

LIGHT SOURCE OPTIONS

H = HALOGEN - 14 x 10W 12V G4
 or
 L = LED - 14 x 1.5W 12V 2700K WW
 100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
 44 = 44"
 56 = 56"
 CH = Custom height available. Please contact our office.
 NOTE 1: Suspension Rod is not field cuttable.
 NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.




MODEL - BIG BUBBLES HL 20

LIGHT SOURCE OPTIONS

H = HALOGEN - 20 x 10W 12V G4
 or
 L = LED - 20 x 1.5W 12V 2700K WW
 100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
 44 = 44"
 56 = 56"
 CH = Custom height available. Please contact our office.
 NOTE 1: Suspension Rod is not field cuttable.
 NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.



MODEL - BIG BUBBLES HL 24

LIGHT SOURCE OPTIONS

H = HALOGEN - 24 x 10W 12V G4
 or
 L = LED - 24 x 1.5W 12V 2700K WW
 100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
 44 = 44"
 56 = 56"
 CH = Custom height available. Please contact our office.
 NOTE 1: Suspension Rod is not field cuttable.
 NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.

DIMMING NOTE:

HALOGEN VERSION - Dimmable with a Low-Voltage Electronic dimmer.
 LED VERSION - Dimmable with a leading edge or trailing edge TRIAC dimmer.

SPECIFICATION SHEET



BIG BUBBLES™

TYPE:

Suspension


PROJECT NAME:

MODEL #	SHADE COLOR	FIXTURE HEIGHT	HALO	LED	VOLTAGE
					120V



SHADE OPTIONS

ST = STANDARD GBU - 2




MODEL - BIG BUBBLES HL 30

LIGHT SOURCE OPTIONS

H = HALOGEN - 30 x 10W 12V G4
 or
 L = LED - 30 x 1.5W 12V 2700K WW
 100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
 44 = 44"
 56 = 56"
 CH = Custom height available. Please contact our office.
 NOTE 1: Suspension Rod is not field cuttable.
 NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.



MODEL - BIG BUBBLES HL 35

LIGHT SOURCE OPTIONS

H = HALOGEN - 35 x 10W 12V G4
 or
 L = LED - 35 x 1.5W 12V 2700K WW
 100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
 44 = 44"
 56 = 56"
 CH = Custom height available. Please contact our office.
 NOTE 1: Suspension Rod is not field cuttable.
 NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.

SPECIFICATION SHEET



DIMMING NOTE:

HALOGEN VERSION - Dimmable with a Low-Voltage Electronic dimmer.
 LED VERSION - Dimmable with a leading edge or trailing edge TRIAC dimmer.