

OUTLIER™

SUSPENSION/WALL/TABLE

TYPE:

PROJECT NAME:

OUTLIER

_technical data

unbalanced composition that thus defines the concept of Outlier: an entity that differs from the rest of the group. An anomaly in normality.

An anomaly that creates uniqueness, a uniqueness that creates refinement and that gives the environment that exception that attracts and gives charm.



Canopy: matt white.

Frame: metal in the colors matt white, brushed bronze, brushed gold.


Diffuser: milk white satin blown glass.



06: Matte white




32: Brushed bronze




33: Brushed gold

SPECIFICATION SHEET




OUTLIER PA_C

1 x MAX 4,8W G9 LED




OUTLIER PA_M

1 x MAX 4,8W G9 LED



OUTLIER CO

1 x MAX 4,8W G9 LED




OUTLIER™

SUSPENSION/WALL/TABLE

TYPE:


PROJECT NAME:



OUTLIER S01

1 x MAX 4,8W G9 LED


IP 20 EAC



OUTLIER IN1

1 x MAX 4,8W G9 LED


IP 20 EAC



OUTLIER S03

3 x MAX 4,8W G9 LED


IP 20 EAC



OUTLIER S06

6 x MAX 4,8W G9 LED


IP 20 EAC



OUTLIER S0 L INT

1 x MAX 4,8W G9 LED


IP 20 EAC



OUTLIER S0 L EXT

1 x MAX 4,8W G9 LED


IP 20 EAC



OUTLIER IN L INT

1 x MAX 4,8W G9 LED

IP 20 EAC




OUTLIER IN L EXT


1 x MAX 4,8W G9 LED

IP 20 EAC


EXAMPLE OF COMPOSITION



N° 4 OUTLIER IN L INT



N° 5 OUTLIER IN L EXT





SPECIFICATION SHEET

OUTLIER™

SUSPENSION/WALL/TABLE

TYPE:

PROJECT NAME:








OUTLIER LA3 EXT
3 x MAX 4,8W G9 LED

IP 20 EAC

OUTLIER LA3 INT
3 x MAX 4,8W G9 LED

IP 20 EAC



OUTLIER LA6 EXT
6 x MAX 4,8W G9 LED

IP 20 EAC

OUTLIER LA6 INT
6 x MAX 4,8W G9 LED

IP 20 EAC

OUTLIER LA6 ALT
6 x MAX 4,8W G9 LED

IP 20 EAC




SPECIFICATION SHEET

OUTLIER™

SUSPENSION/WALL/TABLE

TYPE:

PROJECT NAME:



OUTLIER LA12 EXT
12 x MAX 4,8W G9 LED

IP 20 EAC



OUTLIER LA12 INT
12 x MAX 4,8W G9 LED

IP 20 EAC



OUTLIER LA12 ALT
12 x MAX 4,8W G9 LED

IP 20 EAC