

# STRAWBERRY™

TYPE:

Suspension

PROJECT NAME:

120V

MODEL #

GLASS COLOR

FIXTURE HEIGHT

HALO



LED

VOLTAGE

SHADE OPTIONS



ST = STANDARD GSW MULTICOLOR



A

MODEL - STRAWBERRY HL 7

LIGHT SOURCE OPTIONS

H = HALOGEN - 7 x 10W 12V G4  
 or  
 L = LED - 7 x 1.5W 12V 2700K WW  
 100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"  
 44 = 44"  
 56 = 56"

CH = Custom height available. Please contact our office.

NOTE 1: Suspension Rod is not field cuttable.

NOTE 2: Height stated above may vary + .1" - .4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.

DIMMING NOTE:

HALOGEN VERSION - Dimmable with a Low-Voltage Electronic dimmer.

LED VERSION - Dimmable with a leading edge or trailing edge TRIAC dimmer.

SPECIFICATION SHEET

HARCOLOOR DESIGN

# STRAWBERRY™

TYPE:

Suspension

PROJECT NAME:

120V

MODEL #

GLASS COLOR

FIXTURE HEIGHT

HALO


LED

VOLTAGE

SHADE OPTIONS



ST = STANDARD GSW MULTICOLOR



A

MODEL - STRAWBERRY HL 9


LIGHT SOURCE OPTIONS

H = HALOGEN - 9 x 10W 12V G4  
or  
L = LED - 9 x 1.5W 12V 2700K WW  
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"  
44 = 44"  
56 = 56"

CH = Custom height available. Please contact our office.  
NOTE 1: Suspension Rod is not field cuttable.  
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.



A

MODEL - STRAWBERRY HL 12


LIGHT SOURCE OPTIONS

H = HALOGEN - 12 x 10W 12V G4  
or  
L = LED - 12 x 1.5W 12V 2700K WW  
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"  
44 = 44"  
56 = 56"

CH = Custom height available. Please contact our office.  
NOTE 1: Suspension Rod is not field cuttable.  
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.



A

MODEL - STRAWBERRY HL 15

LIGHT SOURCE OPTIONS

H = HALOGEN - 15 x 10W 12V G4  
or  
L = LED - 15 x 1.5W 12V 2700K WW  
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"  
44 = 44"  
56 = 56"

CH = Custom height available. Please contact our office.  
NOTE 1: Suspension Rod is not field cuttable.  
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.

DIMMING NOTE:

HALOGEN VERSION - Dimmable with a Low-Voltage Electronic dimmer.  
LED VERSION - Dimmable with a leading edge or trailing edge TRIAC dimmer.

SPECIFICATION SHEET

HARCOOLOR DESIGN

# STRAWBERRY™

TYPE:

Suspension


PROJECT NAME:

MODEL #	GLASS COLOR	FIXTURE HEIGHT	HALO	LED	VOLTAGE
					120V

SHADE OPTIONS



ST = STANDARD GSW MULTICOLOR



A

MODEL - STRAWBERRY HL 20


LIGHT SOURCE OPTIONS

H = HALOGEN - 20 x 10W 12V G4  
or  
L = LED - 20 x 1.5W 12V 2700K WW  
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"  
44 = 44"  
56 = 56"

CH = Custom height available. Please contact our office.  
NOTE 1: Suspension Rod is not field cuttable.  
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.



A

MODEL - STRAWBERRY HL 30


LIGHT SOURCE OPTIONS

H = HALOGEN - 30 x 5W 12V G4  
or  
L = LED - 30 x 1.5W 12V 2700K WW  
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"  
44 = 44"  
56 = 56"

CH = Custom height available. Please contact our office.  
NOTE 1: Suspension Rod is not field cuttable.  
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.



A

MODEL - STRAWBERRY HL 40

LIGHT SOURCE OPTIONS

H = HALOGEN - 40 x 5W 12V G4  
or  
L = LED - 4 x 1.5W 12V 2700K WW  
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"  
44 = 44"  
56 = 56"

CH = Custom height available. Please contact our office.  
NOTE 1: Suspension Rod is not field cuttable.  
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.

DIMMING NOTE:

HALOGEN VERSION - Dimmable with a Low-Voltage Electronic dimmer.  
LED VERSION - Dimmable with a leading edge or trailing edge TRIAC dimmer.

SPECIFICATION SHEET



HARCOLOOR DESIGN


# STRAWBERRY™

TYPE:

Suspension

PROJECT NAME:

MODEL #	GLASS COLOR	FIXTURE HEIGHT	HALO	LED	VOLTAGE
SHADE OPTIONS					120V
ST = STANDARD GSW MULTICOLOR					



A

MODEL - STRAWBERRY HL 50

LIGHT SOURCE OPTIONS

H = HALOGEN - 50 x 5W 12V G4  
 or  
 L = LED - 50 x 1.5W 12V 2700K WW  
 100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"  
 44 = 44"  
 56 = 56"  
 CH = Custom height available. Please contact our office.  
 NOTE 1: Suspension Rod is not field cuttable.  
 NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.

SPECIFICATION SHEET

HARCOLOOR DESIGN

DIMMING NOTE:

HALOGEN VERSION - Dimmable with a Low-Voltage Electronic dimmer.  
 LED VERSION - Dimmable with a leading edge or trailing edge TRIAC dimmer.